Serial No.: 09/904,915 Confirm No: 4697

Inventor(s): WISHOFF et al. Agent: Karl Kenna Phone: (415) 362-3800 Agent: Phone:

July 13, 2001 Filed:

The state of the s

Sheet 1 of 5

1/5




FIG. - 1

Filed:

Inventor(s): WISHOFF et al. Agent: Karl Kenna Phone: (415) 362-3800

July 13, 2001 Sheet 2 of 5

2/5





FIG. - 2

THE TAX AND THE TAX AND THE TAX AND THE TAX AND TAX AN

Title: DYNAMICALLY CONFIGURABLE GRAPHICAL USER...
Docket No.: ZAPME-01013US1 Inventor(s): WISHOFF et al.
Serial No.: 09/904,915 Agent: Karl Kenna
Confirm No: 4697 Phone: (415) 362-3800
Filed: July 13, 2001

Sheet 3 of 5

3/5



Title: DYNAMICALLY CONFIGURABLE GRAPHICAL USER...
Docket No.: ZAPME-01013US1 Inventor(s): WISHOFF et al.
Serial No.: 09/904,915 Agent: Karl Kenna
Confirm No: 4697 Phone: (415) 362-3800

Filed: July 13, 2001

Sheet 4 of 5 4/5 Initialize Server Server is launched and launches the ConfigurationClient 405 Configuration Client sends the default Skin File name to the Skin File Reader (which may be part of the same executable) Skin File Reader opens the Skin File Skin File Reader decodes and reads one token at a time, and parses expressions in order to create buttons, menues, ect on the Server via its COM interface if user is already logged in If user is not logged in yet, Skin File Reader uses Placeholders Desktop is cleared, old within the Skin File in place of Skin is removed in personalized variables preperation for loading the new Skin User logs in with default Skin Placeholders are dynamically pouplated with information obtained about user during log in Graphical screen/desktop is displayed User may decide to change the active Skin, so the name of the new Skin File is sent to the **Configuration Client** 425

FIG. - 4

Docket No.: ZAPME-01013US1 Inventor(s). WISHOFF et al. Serial No.: 09/904,915 Agent: Karl Kenna

Filed.


Confirm No: 4697

July 13, 2001

Agent: Phone: (415) 362-3800

Sheet 5 of 5

5/5



The state of the s

FIG. - 5